

# MULTI-VEHICLE SYNTHETIC ATF - BLUE

AUTOMOTIVE ADDITIVES & LUBRICANTS - #0420



## OUTSTANDING FEATURES

- Highly resistant to shearing, oxidation and thermal breakdown.
- Provides excellent flow properties at low temperatures and film protection at high temperatures.
- Outstanding anti-wear properties to protect transmission parts.
- Conditions seals and helps prevent leaks.

## DESCRIPTION

A special blend of fully-synthetic base oils combined with a multi-functional additive system that provides superior anti-wear protection and performance in virtually all types of passenger and commercial automatic transmissions that require newer "low-viscosity" fluid. It offers excellent high & low temperature fluidity, shear stability, seal protection and oxidation resistance. This premium formula may be used in place of synthetic fluids required or specified by a wide range of OEMs, including those used for extended drain and severe duty intervals. This product is designed to be used in conjunction with the MOC® ATF Fluid Exchanger #94500 and ATF Cleaner/Supplement Kit #01941. Multi-Vehicle Synthetic ATF-Blue is suitable for use in all applications where Blue ATF fluid is required. Compatible with Mazda FZ transmissions.

## APPLICATION

Use in automatic transmissions according to equipment manufacturer's recommendations. DO NOT use in transmissions that require CVT or Type F fluids.

## SPECIFICATIONS

<u>Test</u>	<u>ASTM Method</u>	<u>Typical Results</u>
Appearance	-	Clear Oil
Color	-	Blue
Density (g/mL) @68 °F	D4052	0.83
Density, U.S. (lbs/gal), calculated @68 °F	-	6.93
Viscosity @ 100°C, cSt	D445	~6.0
Viscosity @ 40°C, cSt	D445	~32
Viscosity Index, calculated	-	~150

## PACKAGING

<b>Fill:</b> 1 gal	<b>Case Quantity:</b> 4 Bottles	<b>Case Weight:</b> 31 lbs.
<b>Fill:</b> 3 gal	<b>Case Quantity:</b> 2 Bottles	<b>Case Weight:</b> 46 lbs.